

FOUR  
STROKE

MFS30C



Exceed the European  
Union emission standards.



California C.A.R.B.  
three star rating  
for ultra-low emissions.

FOUR  
STROKE

## Specifications

<b>Type</b>		Four Stroke EFI
<b>Maximum output</b>	KW (PS)	22.1 (30)
<b>Maximum operating range</b>	r/min	5250-6250
<b>Fuel consumption at W.O.T</b>	L/Hr (gal/Hr)	10.4 (2.75)
<b>Number of cylinder</b>		3
<b>Bore x Stroke</b>	mm (in)	61x60 (2.40x2.36)
<b>Displacement</b>	ml (Cu in)	526 (32.09)
<b>Engine lubrication system</b>		Trochoid pump
<b>Starting system</b>		Manual or Electric starter
<b>Spark plug</b>		NGK DCPR6E
<b>Ignition timing</b>		Electronically advanced
<b>Alternator output</b>		12V 180W 15A
<b>Engine oil</b>		Tohatsu 4-Stroke Engine Oil
<b>Engine oil capacity</b>	L (qt)	1.8 (1.9) w/Filter change
<b>Fuel tank capacity</b>	L (gal)	25 (6.6)
<b>Speed control</b>		Twist grip type or Remote control
<b>Gear reduction ratio</b>		2.17 (12:26)
<b>Emission Compliance</b>		EU & EPA & CARB 3-Star

FOUR STROKE

Specifications and descriptions are subject to change without notice.

## Standard & Optional Equipments

Type	S/L	EPS/L	EPTS/L
Electric Starter	-	●	●
Manual Recoil Starter	●	●	●
Decompression Release	●	●	●
Engine Stop Switch Lanyard	●	●	●
Alternator	●	●	●
Rectifier	○	●	●
Gas Assist Tilt	-	-	-
Power Tilt	-	-	●
Transom	15/20	15/20	15/20
Propeller	●	●	●
Analog Tachometer	○	○	○
Analog Trim Meter	-	-	○
Remote Control Box	-	●	●
Multi Tiller Handle	○	○	○
25L (6.6 Gal) Plastic Fuel Tank	●	●	●
Tool Kit	●	●	●
Emergency Starter Rope	●	●	●
Spare Spark Plug	●	●	●
Owners Manual	●	●	●

● Standard ○ Optional



**3-Cylinder**



**Battery-less Electronic Fuel Injection**



**Low Fuel Consumption**



**Alternator**



**Charging System (Electric Model)**



**Thermostat**



**Manual Start Back-Up**



**Throttle Friction**



**Front Shift Control**



**Simple Steering Friction Lever (Manual Tilt)**



**Power Tilt**



**Diagnostics**



**Over-Heat Buzzer**



**High Solid Paint Coating**



**Dual Water Intake**



**Multi Tiller Handle**  
#014362AB and later models



**Trolling Speed Control (MFS25/30)**

FOUR STROKE